ELSEVIER

Analytica Chimica Acta 495 (2003) 261–262

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abad, A., see Mickova, B. 123
Adhoum, N.
—, Monser, L., Toumi, M. and Boujlel, K.
Determination of naproxen in pharmaceuticals by differential pulse voltammetry at a platinum electrode 69
Alfenore, S.
—, Délia, M.-L. and Strehaiano, P.
Use of ATP measurements by bioluminescence to quantify yeast's sensitivity against a killer toxin 217
Arruda, M.A.Z., see Pereira-Filho, E.R. 177

Baeyens, W., see Smedts, B.R. 239
Batonneau, Y., see Dupuy, N. 205
Bocarsly, A., see Wang, E. 45
Boujlel, K., see Adhoum, N. 69

Cámara, C., see Pizarro, I. 85
Chang, W.-Y.
—, Sung, Y.-H. and Huang, S.-D.
Analysis of carcinogenic aromatic amines in water samples by solid-phase microextraction coupled with high-performance liquid chromatography 109
Chen, L., see Li, W. 77
Chin, T., see Wang, E. 45
Chow, K.-F., see Wang, E. 45
Craig, J.D.
— and O'Neill, R.D.
Electrosynthesis and permselective characterisation of phenol-based polymers for biosensor applications 33

Davis, F., see Grant, S. 21
De Bisschop, H.C., see Smedts, B.R. 239
Délia, M.-L., see Alfenore, S. 217
Dietrich, R., see Strasser, A. 11
Dou, J., see Li, W. 77
Dupuy, N.
— and Batonneau, Y.
Reliability of the contribution profiles obtained through the SIMPLISMA approach and used as reference in a calibration process. Application to Raman micro-analysis of dust particles 205

El Ries, M.A., see Radi, A. 61
Emami, M., see Ganjali, M.R. 51

Gan, F.
— and Hopke, P.K.
New convergence criterion for multi-variable curve resolution 195
Ganjali, M.R.
—, Emami, M., Rezapour, M., Shamsipur, M., Maddah, B., Salavati-Niasari, M., Hosseini, M. and Talebpoui, Z.
Novel gadolinium poly(vinyl chloride) membrane sensor based on a new S–N Schiff's base 51
García Bermejo, L.F., see Murillo Pulgarín, J.A. 249
Garrido Lara, J.L., see Murillo Pulgarín, J.A. 249
Gibson, T.D., see Grant, S. 21
Gómez, M., see Pizarro, I. 85
Grant, S.
—, Davis, F., Pritchard, J.A., Law, K.A., Higson, S.P.J. and Gibson, T.D.
Labeless and reversible immunosensor assay based upon an electrochemical current-transient protocol 21
Guo, Y.-L., see Lu, H.-J. 1

Hajslova, J., see Mickova, B. 123
Higson, S.P.J., see Grant, S. 21
Holcombe, J.A., see Malachowski, L. 151
Hopke, P.K., see Gan, F. 195
Hosseini, M., see Ganjali, M.R. 51
Huang, S.-D., see Chang, W.-Y. 109
Huang, S.-D., see Sung, Y.-H. 165

Jiang, S.-J., see Li, P.-C. 143

Kandil, S., see Radi, A. 61
Kawamoto, H., see Nozaki, O. 233
Kwan, V., see Wang, E. 45

Law, K.A., see Grant, S. 21
Li, P.-C.
— and Jiang, S.-J.
Electrothermal vaporization inductively coupled plasma-mass spectrometry for the determination of Cr, Cu, Cd, Hg and Pb in rice flour 143
Li, W.
—, Zhang, W., Wang, X., Dou, J., Chen, L. and Li, Y.
Chiral separation of novel chiral tetrahedrone-type clusters on a cellulose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 77

doi:10.1016/S0003-2670(03)01247-9

Li, Y., see Li, W. 77
Lu, H.-J.
— and Guo, Y.-L.
Methanol controllable chromophoric supramolecular switch investigated by electrospray mass spectrometry 1

Maddah, B., see Ganjali, M.R. 51
Malachowski, L.
— and Holcombe, J.A.
Immobilized poly-L-histidine for chelation of metal cations and metal oxyanions 151
Märtlbauer, E., see Strasser, A. 11
Mickova, B.
—, Zrostlikova, J., Hajslova, J., Rauch, P., Moreno, M.J., Abad, A. and Montoya, A.
Correlation study of enzyme-linked immunosorbent assay and high-performance liquid chromatography/tandem mass spectrometry for the determination of *N*-methylcarbamate insecticides in baby food 123
Mikuška, P.
— and Večeřa, Z.
Simultaneous determination of nitrite and nitrate in water by chemiluminescent flow-injection analysis 225
Monser, L., see Adhoum, N. 69
Montoya, A., see Mickova, B. 123
Moreno, M.J., see Mickova, B. 123
Murillo Pulgarín, J.A.
—, García Bermejo, L.F. and Garrido Lara, J.L.
Spectrofluorimetric determination of naltrexone by a kinetic method using the stopped-flow technique 249

Nozaki, O.
— and Kawamoto, H.
Reactivation of inactivated horseradish peroxidase with ethyleneurea and allantoin for determination of hydrogen peroxide by micro-flow injection horseradish peroxidase-catalyzed chemiluminescence 233

O'Neill, R.D., see Craig, J.D. 33

Palacios, M.A., see Pizarro, I. 85
Pereira-Filho, E.R.
—, Sena, M.M., Arruda, M.A.Z. and Poppi, R.J.
Exploratory analysis of L'vov platform surfaces for electrothermal atomic absorption spectrometry by using three-way chemometric tools 177
Pizarro, I.
—, Gómez, M., Cámara, C. and Palacios, M.A.
Arsenic speciation in environmental and biological samples. Extraction and stability studies 85
Poppi, R.J., see Pereira-Filho, E.R. 177
Pritchard, J.A., see Grant, S. 21

Radi, A.
—, El Ries, M.A. and Kandil, S.
Electrochemical study of the interaction of levofloxacin with DNA 61
Rauch, P., see Mickova, B. 123
Rezapour, M., see Ganjali, M.R. 51
Rychlik, M.
Simultaneous analysis of folic acid and pantothenic acid in foods enriched with vitamins by stable isotope dilution assays 133

Salavati-Niasari, M., see Ganjali, M.R. 51
Sena, M.M., see Pereira-Filho, E.R. 177
Shamsipur, M., see Ganjali, M.R. 51
Shu, Y.Y.
—, Tey, S.Y. and Wu, D.K.S.
Analysis of polycyclic aromatic hydrocarbons in airborne particles using open-vessel focused microwave-assisted extraction 99
Smedts, B.R.
—, Baeyens, W. and De Bisschop, H.C.
Separation of arsines and trinitrotoluene by reversed phase high performance liquid chromatography and micellar electrokinetic capillary chromatography 239
Strasser, A.
—, Dietrich, R., Usleber, E. and Märtlbauer, E.
Immunochemical rapid test for multiresidue analysis of antimicrobial drugs in milk using monoclonal antibodies and hapten–glucose oxidase conjugates 11
Strehaiano, P., see Alfenore, S. 217
Sung, Y.-H.
— and Huang, S.-D.
On-line preconcentration system coupled to electrothermal atomic absorption spectrometry for the simultaneous determination of bismuth, cadmium, and lead in urine 165
Sung, Y.-H., see Chang, W.-Y. 109

Talebpoui, Z., see Ganjali, M.R. 51
Tey, S.Y., see Shu, Y.Y. 99
Toumi, M., see Adhoum, N. 69

Usleber, E., see Strasser, A. 11

Večeřa, Z., see Mikuška, P. 225

Wang, E.
—, Chow, K.-F., Kwan, V., Chin, T., Wong, C. and Bocarsly, A.
Fast and long term optical sensors for pH based on sol–gels 45
Wang, X., see Li, W. 77
Wong, C., see Wang, E. 45
Wu, D.K.S., see Shu, Y.Y. 99

Zhang, W., see Li, W. 77
Zrostlikova, J., see Mickova, B. 123

VOL. 495

CONTENTS

2003